ELSEVIER

International Journal of Mass Spectrometry 251 (2006) 307–308

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Author index Volume 251

Ackermann, D., 146
Aleshina, V.E., 16
Alonso, J., 152
Altwegg, K., 73
Amirav, A., 47
Andreev, O.V., 109
Artemyev, A.N., 109
Audi, G., 85, 286
Avdoshenko, S.M., 16

Baartman, R., 198
Balsiger, H., 73
Bandu, M.L., 40
Bao, J., 82
Bapat, B., 10
Baruah, S., 131
Batist, L., 138
Baturin, S.S., 109
Beck, D., 146, 159
Beck, M., 159
Becker, P., 220
Beckert, K., 212
Beene, J.R., 119
Beier, T., 152, 266
Bergström, I., 281
Bhansali, S., 32
Blaum, K., 131, 152
Block, M., 146
Blomeley, L., 198
Bollen, G., 300
Bonn, J., 173
Borschevskiy, A.Ya., 16
Borycki, P., 243
Bosch, F., 212
Boudreau, C., 252
Bricault, P., 198
Brodeur, M., 198
Buchinger, F., 198, 252
Bussmann, M., 179

Chaudhary, A., 32
Chaudhuri, A., 146
Clark, J.A., 252
Coeck, S., 159
Crawford, J., 198
Crawford, J.E., 252
Crespo López-Urrutia, J.R., 198
Czarnecki, A., 102

da Silveira, E.F., 1
Dahl, L., 266
Davies, D., 300
de Saint Simon, M., 286
Delahaye, P., 131, 159
Delauré, B., 159
Delheij, P., 198
Desaire, H., 40
Dilling, J., 198
Djekic, S., 152
Dobaczewski, J., 243
Dorozhkin, E.I., 16
Dworschak, M., 131

Eliseev, S., 146, 266
Elizarov, A.A., 109
Eronen, T., 204

Farenzena, L.S., 1
Fialkov, A.B., 47
Filipović, D.M., 66
Fischer, J., 73
Franzke, B., 212
Fritioff, T., 281
Froese, M., 198
Fu, H., 82

Gabrielse, G., 273
Galindo-Uribarri, A., 119
Gaulard, C., 286
Geissel, H., 146, 212
George, S., 131
Gianfrancesco, O., 190
Gläser, M., 220
Golovko, V.V., 159
Goryunkov, A.A., 16
Greene, J.P., 252
Grubbs, T., 40
Gruzinskaya, N.I., 16
Gulick, S., 252
Guénaut, C., 131
Gwinner, G.P., 198

Habs, D., 146, 179
Hager, U., 131, 204
Hardy, J.C., 95
Hausladen, P.A., 119
Hausmann, M., 212
Heßberger, F.P., 146
Hecht, A.A., 252
Heinz, S., 266
Herfurth, F., 131, 146, 266
Herlert, A., 131
Hermanspahn, N., 152
Häffner, H., 152
Hofmann, S., 146
Homem, M.G.P., 1
Huikari, J., 300

Ignat'eva, D.V., 16
Ioffe, I.N., 16
Iza, P., 1

Jäckel, A., 73
Jentschura, U.D., 102
Jiang, Y., 82
Jokinen, A., 204
Jones, L., 47

Kapała, J., 59
Kardashev, S.V., 16
Karny, M., 138
Kater, M., 40
Kavatsyuk, M., 138
Ke, Z., 198
Kellerbauer, A., 131
Kerscher, T., 212
Kester, O., 266
Khatymov, R.V., 16
Kim, S., 260
Klepper, O., 212
Kolhinen, V.S., 179
Kopecky, S., 159
Korth, A., 73
Kozhedub, Y.S., 109
Kozhuharov, C., 212, 266
Kozlov, V.Y., 159
Kraev, I.S., 159
Kwan, E., 300

Larochelle, Y., 119
Löbner, K.E.G., 212
Lee, J.K.P., 198, 252
Levand, A.F., 252
Liang, J.F., 119
Lindroth, A., 159
Litvinov, Y.A., 212
Lumbo, R., 190
Lunney, D., 286

Maero, G., 266
Marie-Jeanne, M., 131
Marinković, B.P., 66
Markov, V.Yu., 16
Marshall, A.G., 260
Martinez, R., 1
Marx, G., 146
Maximov, A.L., 16
McDaniel, J., 125
Mildner, M., 73

doi:10.1016/S1387-3806(06)00183-7

Münzenberg, G., 212
Moore, I., 204
Moore, R.B., 190, 198
Morrissey, D.J., 300
Mueller, P.E., 119
Mukherjee, M., 146
Myers, E.G., 125

Nagy, Sz., 281
Naves de Brito, A., 1
Nazarewicz, W., 243
Neumayr, J.B., 146
Nolden, F., 212
Novikov, Yu.N., 212

Oreshkina, N.S., 109
Otten, E.W., 173

Pachucki, K., 102
Patyk, Z., 212
Pejčev, V., 66
Penttilä, H., 204
Petrick, M., 146
Phalet, T., 159
Piazza, D., 73
Pinegar, D.B., 231
Plaß, W.R., 146
Pogulay, A.V., 16
Ponciano, C.R., 1
Predojević, B., 66
Prinke, A., 300

Quint, W., 146, 152, 266

Radon, T., 212
Rahaman, S., 146
Rauth, C., 146
Redshaw, M., 125
Reme, H., 73
Ringle, R., 300
Rinta-Antila, S., 204
Rodgers, R.P., 260
Rodríguez, D., 146
Roeckl, E., 138
Ryjkov, V., 198

Savard, G., 95, 252
Savory, J., 300
Schatz, H., 293
Scheidenberger, C., 146, 212
Scherer, S., 73
Schramm, U., 179
Schuch, R., 281
Schury, P., 300
Schwarz, S., 131, 190, 300
Schweikhard, L., 131, 146
Scielzo, N.D., 252
Severijns, N., 159
Šević, D., 66
Shabaev, V.M., 109
Shapira, D., 119
Sharma, H., 252
Sharma, K.S., 252
Sharma, V., 10
Shi, W., 125
Short, R.T., 32
Sidorov, L.N., 16
Sikler, G., 198
Smith, M., 198
Solders, A., 281
Srivastava, R., 66
Stahl, S., 152
Stauffer, A.D., 66
Steck, M., 212
Steiner, U., 47
Stoitsov, M.V., 243
Stracener, D.W., 119
Suhonen, M., 281
Sumithrarachchi, C., 300
Sun, T., 300
Szerypo, J., 179

Thibault, C., 286
Thirolf, P.G., 146
Thomas, J., 119
Towner, I.S., 95
Trimble, W., 252
Tuktarov, R.F., 16
Tupitsyn, I.I., 109

Ullrich, J., 198

Valenzuela, T., 152
van Amerom, F.H.W., 32
Van Dyck Jr., R.S., 231
Van Liew, S., 231
Varner, R.L., 119
Vaz, J., 198, 252
Verdú, J., 152
Vieira, N., 286
Vogel, M., 152

Wang, J.C., 252
Weber, C., 146
Weinheimer, C., 173
Wenander, F., 159
Werth, G., 152
Wien, K., 1
Wincel, H., 23
Wollnik, H., 119, 212
Wurz, P., 73

Yazidjian, C., 131
Yerokhin, V.A., 102, 109
Äystö, J., 204

Zabransky, B.J., 252
Zafonte, S.L., 231
Zhao, Y., 82
Zherebtsov, O.M., 109

ELSEVIER

International Journal of Mass Spectrometry 251 (2006) 309–312

International Journal of Mass Spectrometry

www.elsevier.com/locate/ijms

Subject index Volume 251

Accurate mass
Truly "exact" mass: Elemental composition can be determined uniquely from molecular mass measurement at ~0.1 mDa accuracy for molecules up to ~500 Da, 260
Alpha-hydroxy acid
Collision induced dissociation of alpha hydroxy acids: Evidence of an ion-neutral complex intermediate, 40
α, β and proton radioactivity
Decay Q-value of ^{105}Sn and of other nuclei near ^{100}Sn, measured at the GSI on-line mass separator, 138
Antibaryon
Antiproton mass measurements, 273
Antiproton
Antiproton mass measurements, 273
Antiquark
Antiproton mass measurements, 273
Atomic masses
The history of nuclidic masses and of their evaluation, 85
Mass measurements and superallowed βdecay, 95
Mass ratio of two ions in a Penning trap by alternating between the trap center and a large cyclotron orbit, 125
On-line commissioning of SHIPTRAP, 146
The Q-value of tritium β-decay and the neutrino mass, 173
Precision experiments on exotic nuclei at IGISOL, 204
The UW-PTMS: Systematic studies, measurement progress, and future improvements, 231
Precision measurements with highly charged ions at rest: The HITRAP project at GSI, 266
Mass measurements of the shortest-lived nuclides *à la MISTRAL*, 286
Atomic physics
Mass measurements and the bound-electron g factor, 102
Avogadro constant
Primary mass standard based on atomic masses, 220

Beta decay
The WITCH experiment: Completion of a set-up to investigate the structure of weak interactions with a Penning trap, 159
The Q-value of tritium β-decay and the neutrino mass, 173
Binding energies and masses
Decay Q-value of ^{105}Sn and of other nuclei near ^{100}Sn, measured at the GSI on-line mass separator, 138
Binding energy
On-line commissioning of SHIPTRAP, 146
Precision measurements with highly charged ions at rest: The HITRAP project at GSI, 266
Biomolecules hydration
Hydration of gas-phase protonated alkylamines, amino acids and dipeptides produced by electrospray, 23
Bismuth
Primary mass standard based on atomic masses, 220
Bond enthalpies
Hydration of gas-phase protonated alkylamines, amino acids and dipeptides produced by electrospray, 23
Bound states
Mass measurements and the bound-electron g factor, 102

Charge breeding
Mass measurements on highly charged radioactive ions, a new approach to high precision with TITAN, 198
CO ice
Secondary ion emission from condensed CO bombarded by fission fragments, 1
Collinear laser spectroscopy
Precision experiments on exotic nuclei at IGISOL, 204
Condensed gas
Secondary ion emission from condensed CO bombarded by fission fragments, 1
Cooling of highly charged ions
Mass measurements on highly charged radioactive ions, a new approach to high precision with TITAN, 198
Cyclotron-frequency systematics
The UW-PTMS: Systematic studies, measurement progress, and future improvements, 231
Cylindrical ion trap
Fabrication and testing of a miniature cylindrical ion trap mass spectrometer constructed from low temperature co-fired ceramics, 32

Density functional theory
Large-scale self-consistent nuclear mass calculations, 243
Density of distribution
The interpretation of mass spectra of inorganic molecules, 59
Differential cross section
Electron-impact excitation of the 3s3p $^1P_1$ state of magnesium: Electron scattering at small angles, 66
Dissociation mechanism
Collision induced dissociation of alpha hydroxy acids: Evidence of an ion-neutral complex intermediate, 40

EBIT
Mass measurements on highly charged radioactive ions, a new approach to high precision with TITAN, 198
Electron affinity
Mass spectrometric studies of trifluoromethylated fullerenes, 16
Electron excitation
Electron-impact excitation of the 3s3p $^1P_1$ state of magnesium: Electron scattering at small angles, 66
Electron mass
Highly charged ions, quantum-electrodynamics, and the electron mass, 152
Precision measurements with highly charged ions at rest: The HITRAP project at GSI, 266
Electrospray
Hydration of gas-phase protonated alkylamines, amino acids and dipeptides produced by electrospray, 23
Electrospray ionization mass spectrometry
Peptide sequencing through N-terminal phosphonylation and multistage electrospray mass spectrometry of sodiated molecules, 82

doi:10.1016/S1387-3806(06)00184-9

Enhanced molecular ion
A new type of GC–MS with advanced capabilities, 47
Erbium
On-line commissioning of SHIPTRAP, 146
Evaluation of atomic masses
The history of nuclidic masses and of their evaluation, 85
Exotic nuclei
Experiments with stored exotic nuclei at relativistic energies, 212

Fast GC–MS
A new type of GC–MS with advanced capabilities, 47
Fourier transform mass spectrometry
Truly "exact" mass: Elemental composition can be determined uniquely from molecular mass measurement at ~0.1 mDa accuracy for molecules up to ~500 Da, 260
Fragment ion kinetic energy
Mean kinetic energy of molecular fragment ions from time-of-flight and momentum analysis, 10
Fullerene
Mass spectrometric studies of trifluoromethylated fullerenes, 16
Fundamental constants
QED effects in heavy few-electron ions, 109

Gas-phase equilibria
Hydration of gas-phase protonated alkylamines, amino acids and dipeptides produced by electrospray, 23
GC–MS
A new type of GC–MS with advanced capabilities, 47
g-Factor
Precision measurements with highly charged ions at rest: The HITRAP project at GSI, 266
Precise measurements of ionic masses for QED tests, 281

HCI
Stopping highly charged ions in a laser-cooled one component plasma of $^{24}Mg^{+}$ions, 179
Heavy ions
QED effects in heavy few-electron ions, 109
High RF fields
The use of high RFQ fields to manipulate ions, 190
Highly-charged ions
Towards high-accuracy mass spectrometry of highly charged short-lived ions at ISOLTRAP, 131
Experiments with stored exotic nuclei at relativistic energies, 212
History of atomic masses
The history of nuclidic masses and of their evaluation, 85
History of mass spectrometry
The history of nuclidic masses and of their evaluation, 85
Holmium
On-line commissioning of SHIPTRAP, 146

ICR
Truly "exact" mass: Elemental composition can be determined uniquely from molecular mass measurement at ~0.1 mDa accuracy for molecules up to ~500 Da, 260
Ion cluster
Secondary ion emission from condensed CO bombarded by fission fragments, 1
Ion cyclotron resonance
Truly "exact" mass: Elemental composition can be determined uniquely from molecular mass measurement at ~0.1 mDa accuracy for molecules up to ~500 Da, 260
Ion guide
Precision experiments on exotic nuclei at IGISOL, 204
Ion mirror
A novel principle for an ion mirror design in time-of-flight mass spectrometry, 73
Ion temperature
The use of high RFQ fields to manipulate ions, 190
Ionization energy
Mass spectrometric studies of trifluoromethylated fullerenes, 16
Ion-neutral complex
Collision induced dissociation of alpha hydroxy acids: Evidence of an ion-neutral complex intermediate, 40
Isotopes
Precise measurements of ionic masses for QED tests, 281
Isotopic labelling
Collision induced dissociation of alpha hydroxy acids: Evidence of an ion-neutral complex intermediate, 40

Krypton isotope
Precision mass measurements with LEBIT at MSU, 300

Lamor precision frequency
Precise measurements of ionic masses for QED tests, 281
Large scale calculation
Large-scale self-consistent nuclear mass calculations, 243
Laser cooling
Stopping highly charged ions in a laser-cooled one component plasma of $^{24}Mg^{+}$ions, 179
LEAR
Antiproton mass measurements, 273
LEBIT
Precision mass measurements with LEBIT at MSU, 300
Low-energy beam
Precision mass measurements with LEBIT at MSU, 300
LTCC
Fabrication and testing of a miniature cylindrical ion trap mass spectrometer constructed from low temperature co-fired ceramics, 32

Magnesium
Electron-impact excitation of the 3s3p $^{1}P_{1}$ state of magnesium: Electron scattering at small angles, 66
Magnetic moment
Highly charged ions, quantum-electrodynamics, and the electron mass, 152
Many-body problem
Large-scale self-consistent nuclear mass calculations, 243
Mass and half-life measurements
Experiments with stored exotic nuclei at relativistic energies, 212
Mass measurement
Studies of neutron-rich isotopes with the CPT mass spectrometer and the CARIBU project, 252
Mass spectra of inorganic molecules
The interpretation of mass spectra of inorganic molecules, 59
Mass spectrometer
The UW-PTMS: Systematic studies, measurement progress, and future improvements, 231
Mass spectrum coefficient
The interpretation of mass spectra of inorganic molecules, 59
Metallized ceramic surface
Fabrication and testing of a miniature cylindrical ion trap mass spectrometer constructed from low temperature co-fired ceramics, 32
Miniature
Fabrication and testing of a miniature cylindrical ion trap mass spectrometer constructed from low temperature co-fired ceramics, 32
Molecular fragmentation
Mean kinetic energy of molecular fragment ions from time-of-flight and momentum analysis, 10
Momentum spectrometry
Mean kinetic energy of molecular fragment ions from time-of-flight and momentum analysis, 10
MS–MS
A new type of GC–MS with advanced capabilities, 47
Multiple reflection
A novel principle for an ion mirror design in time-of-flight mass spectrometry, 73

N=Z nuclides
Mass measurements of the shortest-lived nuclides *à la MISTRAL*, 286
Neutrino masses
The Q-value of tritium β-decay and the neutrino mass, 173
Neutron-rich isotopes
Studies of neutron-rich isotopes with the CPT mass spectrometer and the CARIBU project, 252
N-terminal phosphonylation
Peptide sequencing through N-terminal phosphonylation and multistage electrospray mass spectrometry of sodiated molecules, 82
Nuclear binding energies
The history of nuclidic masses and of their evaluation, 85
Mass measurements of the shortest-lived nuclides *à la MISTRAL*, 286
Nuclear masses
Opportunistic mass measurements at the Holifield Radioactive Ion Beam Facility, 119
Large-scale self-consistent nuclear mass calculations, 243
The importance of nuclear masses in the astrophysical rp-process, 293

On-line isotope separation
Decay Q-value of ^{105}Sn and of other nuclei near ^{100}Sn, measured at the GSI on-line mass separator, 138
Oxygen
The UW-PTMS: Systematic studies, measurement progress, and future improvements, 231

Parity nonconservation effects
QED effects in heavy few-electron ions, 109
Penning trap
Mass ratio of two ions in a Penning trap by alternating between the trap center and a large cyclotron orbit, 125
Towards high-accuracy mass spectrometry of highly charged short-lived ions at ISOLTRAP, 131
On-line commissioning of SHIPTRAP, 146
The WITCH experiment: Completion of a set-up to investigate the structure of weak interactions with a Penning trap, 159
Stopping highly charged ions in a laser-cooled one component plasma of $^{24}Mg^{+}$ions, 179
Precision experiments on exotic nuclei at IGISOL, 204
Studies of neutron-rich isotopes with the CPT mass spectrometer and the CARIBU project, 252
Precision measurements with highly charged ions at rest: The HITRAP project at GSI, 266
Precise measurements of ionic masses for QED tests, 281
Precision mass measurements with LEBIT at MSU, 300
Penning trap mass spectrometry
Mass measurements on highly charged radioactive ions, a new approach to high precision with TITAN, 198
Penning-trap
The UW-PTMS: Systematic studies, measurement progress, and future improvements, 231
Peptide sequencing
Peptide sequencing through N-terminal phosphonylation and multistage electrospray mass spectrometry of sodiated molecules, 82
Petroleum
Truly "exact" mass: Elemental composition can be determined uniquely from molecular mass measurement at ~0.1 mDa accuracy for molecules up to ~500 Da, 260
Phosphonamidate peptide
Peptide sequencing through N-terminal phosphonylation and multistage electrospray mass spectrometry of sodiated molecules, 82
Photolithography
Fabrication and testing of a miniature cylindrical ion trap mass spectrometer constructed from low temperature co-fired ceramics, 32
Precision mass measurement
Precision mass measurements with LEBIT at MSU, 300
Precision mass spectrometry
Towards high-accuracy mass spectrometry of highly charged short-lived ions at ISOLTRAP, 131
Precision measurement
Mass ratio of two ions in a Penning trap by alternating between the trap center and a large cyclotron orbit, 125

QED
Precise measurements of ionic masses for QED tests, 281
Quantum-electrodynamics
Mass measurements and the bound-electron g factor, 102
QED effects in heavy few-electron ions, 109
Highly charged ions, quantum-electrodynamics, and the electron mass, 152
Q-value
Mass measurements and superallowed βdecay, 95

Radio frequency ion cooler
Precision experiments on exotic nuclei at IGISOL, 204
Radio frequency quadrupole
Stopping highly charged ions in a laser-cooled one component plasma of $^{24}Mg^{+}$ions, 179
Radioactive beams
Mass measurements on highly charged radioactive ions, a new approach to high precision with TITAN, 198
Radioactive ion beams
Opportunistic mass measurements at the Holifield Radioactive Ion Beam Facility, 119
Reflectron
A novel principle for an ion mirror design in time-of-flight mass spectrometry, 73
Relative atomic mass
Primary mass standard based on atomic masses, 220
Retardation spectrometer
The WITCH experiment: Completion of a set-up to investigate the structure of weak interactions with a Penning trap, 159
RF mass spectrometer
Mass measurements of the shortest-lived nuclides *à la MISTRAL*, 286
RFQ confinement
The use of high RFQ fields to manipulate ions, 190
rp-Process
The importance of nuclear masses in the astrophysical rp-process, 293

Salt systems
The interpretation of mass spectra of inorganic molecules, 59
Scalar interaction
The WITCH experiment: Completion of a set-up to investigate the structure of weak interactions with a Penning trap, 159
Secondary ions
Secondary ion emission from condensed CO bombarded by fission fragments, 1
Silicon
Primary mass standard based on atomic masses, 220
Simulation
Stopping highly charged ions in a laser-cooled one component plasma of $^{24}Mg^{+}$ions, 179
Sodiated molecule
Peptide sequencing through N-terminal phosphonylation and multistage electrospray mass spectrometry of sodiated molecules, 82
Spontaneous symmetry breaking
Large-scale self-consistent nuclear mass calculations, 243
Storage rings
Experiments with stored exotic nuclei at relativistic energies, 212
Supersonic molecular beams
A new type of GC–MS with advanced capabilities, 47
Systematics
Mass measurements and superallowed βdecay, 95

Temperature dependence
Secondary ion emission from condensed CO bombarded by fission fragments, 1

Time-of-flight mass spectrometry
A novel principle for an ion mirror design in time-of-flight mass spectrometry, 73
Time-of-flight spectrometry
Mean kinetic energy of molecular fragment ions from time-of-flight and momentum analysis, 10
Time-of-flight variance
Mean kinetic energy of molecular fragment ions from time-of-flight and momentum analysis, 10
TOF SIMS
Secondary ion emission from condensed CO bombarded by fission frements, 1
Trifluoromethylated fullerene
Mass spectrometric studies of trifluoromethylated fullerenes, 16
Triple quadrupole
Collision induced dissociation of alpha hydroxy acids: Evidence of an ion-neutral complex intermediate, 40

Weak interaction
The WITCH experiment: Completion of a set-up to investigate the structure of weak interactions with a Penning trap, 159
Wigner energy
Mass measurements of the shortest-lived nuclides *à la MISTRAL*, 286

X-ray bursts
The importance of nuclear masses in the astrophysical rp-process, 293